

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1993

EDITORIAL REVIEW

The growth hormone insulin-like growth factor axis in kidney revisited

M. R. Hammerman and S. B. Miller

F1

Vasopressin and oxytocin receptors coupled to Ca^{2+} mobilization in rat inner medullary collecting duct

Y. Maeda, J. S. Han, C. C. Gibson, and M. A. Knepper

F15

Dual actions of vasopressin and oxytocin in regulation of water permeability in terminal collecting duct

J. S. Han, Y. Maeda, and M. A. Knepper

F26

V_2 -like vasopressin receptor mobilizes intracellular Ca^{2+} in rat medullary collecting tubules

A. Champigneulle, E. Siga, G. Vassent, and M. Imbert-Teboul

F35

Role of muscarinic receptors in renal response to acetylcholine

J. C. H. Yun, G. Oriji, J. R. Gill, Jr., B. R. Coleman, J. Peters, and H. Keiser

F46

Activation of Na/H exchanger in mesangial cells is associated with translocation of PKC isoforms

R. Saxena, B. A. Saksa, A. P. Fields, and M. B. Ganz

F53

Hepatocyte growth factor may function as a renotropic factor for regeneration in rats with acute renal injury

T. Igawa, K. Matsumoto, S. Kanda, Y. Saito, and T. Nakamura

F61

Extrahepatic lipogenesis contributes to hyperlipidemia in the analbuminemic rat

J. A. Joles, K. R. Feingold, A. Van Tol, L. H. Cohen, X. Sun, H. Jones, Jr., R. W. Davies, and G. A. Kaysen

F70

Ion concentration changes in renal cells during regulatory volume decrease

R. Rick

F77

Osmotically sensitive renin release from permeabilized juxtaglomerular cells

B. L. Jensen and O. Skøtt

F87

Effects of rC5a on the circulation of normal and split hydronephrotic rat kidneys

E. Gulbins, K. Schlottmann, E. W. Rauterberg, and M. Steinhausen

F96

Source of kidney determines blood pressure in young renal transplanted rats

D. Kopf, R. Waldherr, and R. Rettig

F104

Role of cardiac innervation in atrial natriuretic peptide secretion in transplanted heart recipients

B. Geny, F. Piquard, M. Follenius, B. Mettauer, A. Schaefer, B. Canguilhem, B. Eisenmann, and P. Haberey

F112

Regulation of renal glomerular and papillary ANP receptors in rats with experimental heart failure

H. Yechieli, L. Kahana, A. Haramati, A. Hoffman, and J. Winaver

F119

Autocrine role of endothelin in rat IMCD: inhibition of AVP-induced cAMP accumulation

D. E. Kohan and A. K. Hughes

F126

Sodium azide protects against ischemia-induced acute renal failure in rats

S. L. Abrahams, R. J. Hazen, and K. M. Ayers

F130

Polarity of taurine transport in cultured renal epithelial cell lines: LLC-PK₁ and MDCK

D. P. Jones, L. A. Miller, and R. W. Chesney

F137

Developmentally regulated kallikrein enzymatic activity and gene transcription rate in maturing rat kidneys

S. S. El-Dahr and I. Yosipiv

F146

SPECIAL COMMUNICATION

Direct visualization of renin-cell distribution in preglomerular vascular trees
dissected from rat kidney

D. Casellas, M. Dupont, F. J. Kaskel, T. Inagami, and L. C. Moore

F151

ANNOUNCEMENTS

F157

No. 2. AUGUST 1993

EDITORIAL REVIEW

Hormonal regulation of inner medullary collecting duct sodium transport

M. L. Zeidel

F159

Sch-28080 inhibits bafilomycin-sensitive H⁺ secretion in turtle bladder independently
of luminal [K⁺]

O. F. Kohn, P. P. Mitchell, and P. R. Steinmetz

F174

Liberators of NO exert a dual effect on renin secretion from isolated mouse
renal juxtaglomerular cells

K. Schricker and A. Kurtz

F180

Effects of adenosine and angiotensin on macula densa-stimulated renin secretion

J. N. Lorenz, H. Weihprecht, X.-R. He, O. Sködt,

J. P. Briggs, and J. Schnermann

F187

Stimulation of basolateral Na⁺-HCO₃⁻ cotransporter by angiotensin II
in rabbit renal cortex

S. Eiam-Ong, S. A. Hilden, C. A. Johns, and N. E. Madias

F195

Vasopressin activates collecting duct urea transporters and water channels
by distinct physical processes

S. Nielsen and M. A. Knepper

F204

Kinetic model of water and urea permeability regulation by vasopressin in collecting duct

M. A. Knepper and S. Nielsen

F214

Vasopressin- and cAMP-induced changes in ultrastructure of isolated perfused inner
medullary collecting ducts

S. Nielsen, J. Muller, and M. A. Knepper

F225

Proliferative synergy of ANG II and EGF in porcine aortic vascular smooth muscle cells

S. P. Bagby, E. A. Kirk, L. H. Mitchell, M. M. O'Reilly, W. E. Holden,

P. E. Stenberg, and A. C. Bakke

F239

Vascular interactions of prostaglandins with thromboxane in kidneys
of rats developing hypertension

C. Chatziantoniou and W. J. Arendshorst

F250

Mechanisms of adaptation to proteinuria in adriamycin nephrosis

E.-J. Choi, R. C. May, J. Bailey, T. Masud, A. Dixon, and B. J. Maroni

F257

Glomerular angiotensin II receptor subtypes during development of rat kidney

G. M. Ciuffo, M. Viswanathan, A. M. Seltzer, K. Tsutsumi, and J. M. Saavedra

F264

Osmolarity-stimulated urea transport in rat terminal IMCD: role of intracellular calcium

A. G. Gillin, R. A. Star, and J. M. Sands

F272

Tubular handling of fluid and electrolytes during ovine pregnancy

S. C. Cha, G. W. Aberdeen, S. Mukaddam-Daher,

E. W. Quillen, Jr., and B. S. Nuwayhid

F278

Influence of endothelium-derived relaxing factor on renal microvessels
and pressure-dependent vasodilation

J. Hoffend, A. Cavarape, K. Endlich, and M. Steinhausen

F285

Quantitation and localization of laminin A, B1, and B2 chain RNA transcripts
in developing kidney

G. B. Vanden Heuvel and D. R. Abrahamson

F293

Vitamin D₃ accelerates PTH-dependent calcium transport in distal
convoluted tubule cells

P. A. Friedman and F. A. Gesek

F300

Endothelial modulation of renal interlobar arteries from pregnant rats <i>K. C. Griggs, K. P. Conrad, K. Mackey, and M. K. McLaughlin</i>	F309
Subcellular distribution and guanine nucleotide dependency of COOH-terminal methylation in kidney cortex <i>D. Gingras, D. Boivin, and R. Béliveau</i>	F316

SPECIAL COMMUNICATION

Thyroid hormone stimulates the Na ⁺ -PO ₄ symporter but not the Na ⁺ -SO ₄ symporter in renal brush border <i>K. W. Beers and T. P. Dousa</i>	F323
--	------

RAPID COMMUNICATION

Immunolocalization of the Na ⁺ /Ca ²⁺ exchanger in rabbit kidney <i>R. F. Reilly, C. A. Shugrue, D. Lattanzi, and D. Biemesderfer</i>	F327
--	------

No. 3. SEPTEMBER 1993

Heat stress protein-associated cytoprotection of inner medullary collecting duct cells from rat kidney <i>S. C. Borkan, A. Emami, and J. H. Schwartz</i>	F333
Renal mouse proximal tubular cells are more susceptible than MDCK cells to chemical anoxia <i>A. M. Sheridan, J. H. Schwartz, V. M. Kroshian, A. M. Tercyak, J. Laraia, S. Masino, and W. Lieberthal</i>	F342
PDGF-induced <i>Egr-1</i> expression in rat mesangial cells is mediated through upstream serum response elements <i>H. D. Rupprecht, V. P. Sukhatme, J. Lacy, R. B. Sterzel, and D. L. Coleman</i>	F351
Insulin stimulates Na ⁺ , Cl ⁻ , Ca ²⁺ , and Mg ²⁺ transports in TAL of mouse nephron: cross-potentialiation with AVP <i>B. Mandon, E. Siga, D. Chabardes, D. Firsov, N. Roinel, and C. de Rouffignac</i>	F361
Thyroid hormone stimulates Na ⁺ -K ⁺ -ATPase gene expression in cultured rat mesangial cells <i>T. Ohara, U. Ikeda, S. Muto, A. Oguchi, Y. Tsuruya, K. Yamamoto, K. Kawakami, K. Shimada, and Y. Asano</i>	F370
Oxidant-induced alterations in glucose and phosphate transport in LLC-PK ₁ cells: mechanisms of injury <i>S. P. Andreoli, J. A. McAteer, S. A. Seifert, and S. A. Kempson</i>	F377
The urease inhibitor acetohydroxamic acid is transported by the urea pathway in rat terminal IMCD <i>R. A. Star, A. G. Gillin, V. J. Parikh, and J. M. Sands</i>	F385
Continuous telemetric blood pressure monitoring and glomerular injury in the rat remnant kidney model <i>A. K. Bidani, K. A. Griffin, M. Picken, and D. M. Lansky</i>	F391
Different mechanisms of renal Na-K-ATPase regulation by protein kinases in proximal and distal nephron <i>T. Satoh, H. T. Cohen, and A. I. Katz</i>	F399
Regulation of intracellular pH in two cell populations of inner stripe of rabbit outer medullary collecting duct <i>I. D. Weiner, C. S. Wingo, and L. L. Hamm</i>	F406
An osmotically tolerant inner medullary collecting duct cell line from an SV40 transgenic mouse <i>M. I. Rauchman, S. K. Nigam, E. Delpire, and S. R. Gullans</i>	F416
Endogenous EGF as a potential renotrophic factor in ischemia-induced acute renal failure <i>R. P. Schaudies, D. Nonclercq, L. Nelson, G. Toubreau, J. Zanen, J.-A. Heuson-Stiennon, and G. Laurent</i>	F425

Gentamicin-induced mobilization of iron from renal cortical mitochondria <i>N. Ueda, B. Guidet, and S. V. Shah</i>	F435
Acute phosphate depletion inhibits the Na ⁺ /H ⁺ antiporter in a cultured renal cell line <i>J. Green, O. Foellmer, C. R. Kleeman, and M. M. Basic</i>	F440
Inhibition by epinephrine of AVP- and cAMP-stimulated Na ⁺ and water transport in Dahl rat CCD <i>C. T. Hawk, L. H. Kudo, A. J. Rouch, and J. A. Schafer</i>	F449

LETTERS TO THE EDITOR

Aquaporins: a family of water channel proteins <i>P. Agre, S. Sasaki, and M. J. Chrispeels</i>	F461
---	------

No. 4. OCTOBER 1993

EDITORIAL REVIEW

Aquaporin CHIP: the archetypal molecular water channel <i>P. Agre, G. M. Preston, B. L. Smith, J. S. Jung, S. Raina, C. Moon, W. B. Guggino, and S. Nielsen</i>	F463
--	------

Renal renin-angiotensin system in diabetes: functional, immunohistochemical, and molecular biological correlations <i>S. Anderson, F. F. Jung, and J. R. Ingelfinger</i>	F477
Oxytocin affects apical sodium conductance in rabbit cortical collecting duct <i>T. Inoue, M. Naruse, M. Nakayama, K. Kurokawa, and T. Sato</i>	F487
A potential role for endogenous adenosine in control of human glomerular and tubular function <i>V. S. Balakrishnan, G. A. Coles, and J. D. Williams</i>	F504
Regulation of Na ⁺ -3HCO ₃ ⁻ cotransport in rabbit proximal convoluted tubule via adenosine A ₁ receptor <i>M. Takeda, K. Yoshitomi, and M. Imai</i>	F511
Glutamate activation of neurons in CV-reactive areas of cat brain stem affects urinary bladder motility <i>S. Y. Chen, S. D. Wang, C. L. Cheng, J. S. Kuo, W. C. de Groat, and C. Y. Chai</i>	F520
Decreased bone carbonate content in response to metabolic, but not respiratory, acidosis <i>D. A. Bushinsky, B. C. Lam, R. Nespeca, N. E. Sessler, and M. D. Grynpas</i>	F530
Transforming growth factor- β is a renin secretagogue at picomolar concentrations <i>I. Antonipillai, T. H. Le, L. Soceneantu, and R. Horton</i>	F537
Endothelin-1 mRNA in glomerular and epithelial cells of kidney <i>M. Chen, K. Todd-Turla, W.-H. Wang, X. Cao, A. Smart, F. C. Brosius, P. D. Killen, J. A. Keiser, J. P. Briggs, and J. Schnermann</i>	F542
Phosphatidylcholine-directed phospholipase C: activation by complement C5b-9 <i>A. V. Cybulsky and M.-D. Cyr</i>	F551
Stimulation of α_2 -adrenergic receptors increases Na ⁺ -K ⁺ -ATPase activity in distal convoluted tubule cells <i>F. A. Gesek</i>	F561
Intracellular Ca ²⁺ and PKC activation do not inhibit Na ⁺ and water transport in rat CCD <i>A. J. Rouch, L. Chen, L. H. Kudo, P. D. Bell, B. C. Fowler, B. D. Corbitt, and J. A. Schafer</i>	F569
Effect of prostaglandin synthesis inhibition on macula densa-stimulated renin secretion <i>S. G. Greenberg, J. N. Lorenz, X.-R. He, J. B. Schnermann, and J. P. Briggs</i>	F578
Transforming growth factor- β 1 regulation of signal transduction in two renal epithelial cell lines <i>R. J. Anderson, H. T. Sponsel, R. Breckon, T. Marcell, and J. P. Hoeffler</i>	F584

RAPID COMMUNICATIONS

Atrial natriuretic peptide initiates Ca^{2+} transients in isolated renal cortical thick ascending limb cells

L.-J. Dai and G. A. Quamme

F592

Na/Ca exchanger isoforms expressed in kidney

P. Kofuji, W. J. Lederer, and D. H. Schulze

F598

No. 5. NOVEMBER 1993

Conservation of structure in ATP-depleted proximal tubules: role of calcium, polyphosphoinositides, and glycine

R. Garza-Quintero, J. M. Weinberg, J. Ortega-Lopez, J. A. Davis, and M. A. Venkatachalam

F605

Luminal and basolateral uptake and receptor binding of IGF-I in rabbit renal proximal tubules

A. Flyvbjerg, S. Nielsen, M. I. Sheikh, C. Jacobsen, H. Ørskov, and E. I. Christensen

F624

Involvement of PKC- α in PDGF-mediated mitogenic signaling in human mesangial cells

G. Ghosh Choudhury, P. Biswas, G. Grandaliano, and H. E. Abboud

F634

Evidence that separate PGE_2 receptors modulate water and sodium transport in rabbit cortical collecting duct

R. L. Hébert, H. R. Jacobson, D. Fredin, and M. D. Breyer

F643

Interactions of adenosine A_1 receptor-mediated renal vasoconstriction with endogenous nitric oxide and ANG II

R. J. Barrett and D. A. Droppleman

F651

Modulation of ANG II receptor and its mRNA in normal rat by low-protein feeding

J. E. Benabe, S. Wang, J. N. Wilcox, and M. Martinez-Maldonado

F660

Endothelin B receptor mediates ET-1 effects on cAMP and PGE_2 accumulation in rat IMCD

D. E. Kohan, E. Padilla, and A. K. Hughes

F670

Segmentally distinct effects of depolarization on intracellular $[\text{Ca}^{2+}]$ in renal arterioles

P. K. Carmines, B. C. Fowler, and P. D. Bell

F677

Adrenergic regulation of renin secretion and renal hemodynamics during deliberate hypotension in humans

V. M. Zayas, J. D. Blumenfeld, B. Bading, M. McDonald, G. D. James, Y.-F. Lin, N. E. Sharrock, J. E. Sealey, and J. H. Laragh

F686

Na^+ - K^+ -ATPase that redistributes to apical membrane during ATP depletion remains functional

B. A. Molitoris

F693

H^+ - K^+ -ATPase of rat inner medullary collecting duct in primary culture

J. G. Kleinman, P. Tipnis, and R. Pscheidt

F698

22-Oxalacetic acid: dissection of $1,25(\text{OH})_2\text{D}_3$ receptor-mediated and Ca^{2+} entry-stimulating pathways

M. C. Farach-Carson, J. Abe, Y. Nishii, R. Khoury, G. C. Wright, and A. W. Norman

F705

Peritubular endothelial cell proliferation in mice during compensatory renal growth after unilateral nephrectomy

S. Kanda, H. Hisamatsu, T. Igawa, J. Eguchi, M. Taide, H. Sakai, H. Kanetake, Y. Saito, Y. Yoshitake, and K. Nishikawa

F712

Dynamic, short-term coupling between changes in arterial pressure and urine flow

J. E. Steele, P. H. Brand, P. J. Metting, and S. L. Britton

F717

Role of apical and basolateral secretion in turnover of glutathione in LLC-PK₁ cells

R. D. Scott, R. P. Hughey, and N. P. Curthoys

F723

Effects of in vivo and in vitro alkali treatment on intracellular pH regulation of OMCD_{1a} cells

M. Hayashi, M. Iyori, Y. Yamaji, and T. Saruta

F729

RAPID COMMUNICATION

NHE3: a Na⁺/H⁺ exchanger isoform of renal brush border

*D. Biemesderfer, J. Pizzonia, A. Abu-Alfa, M. Exner, R. Reilly,
P. Igarashi, and P. S. Aronson*

F736

No. 6. DECEMBER 1993

EDITORIAL REVIEW

Short-term regulation of renal Na-K-ATPase activity: physiological relevance
and cellular mechanisms

A. M. Bertorello and A. I. Katz

F743

Phosphonoformic acid blunts adaptive response of renal and intestinal P_i transport

M. Loghman-Adham, M. Levi, S. A. Scherer, G. T. Motock, and M. T. Totzke

F756

Carbonic anhydrase II mRNA is induced in rabbit kidney cortex during
chronic metabolic acidosis

G. J. Schwartz, C. A. Winkler, B. J. Zavidowitz, and T. Bargiello

F764

Regulation of cell pH by K⁺/H⁺ antiport in renal epithelial cells

M. Graber and E. Pastoriza-Munoz

F773

Citrate and calcium effects on Tamm-Horsfall glycoprotein as a modifier of calcium
oxalate crystal aggregation

B. Hess, L. Zipperle, and P. Jaeger

F784

Differential expression and cellular distribution of mRNAs encoding α - and β -isoforms
of Na⁺-K⁺-ATPase in rat kidney

K. Y. Ahn, K. M. Madsen, C. C. Tisher, and B. C. Kone

F792

Disparate effects of adenosine A₁- and A₂-receptor agonists on intrarenal blood flow

Y. Agmon, D. Dinour, and M. Brezis

F802

Effect of fetal exposure to gentamicin on phosphate transport in young rat kidney

M. Lelievre-Pegorier, S. Euzet, and C. Merlet-Benichou

F807

Anion exchanger 1 in human kidney and oncocyoma differs from erythroid AE1
in its NH₂ terminus

A. Kollert-Jöns, S. Wagner, S. Hübner, H. Appelhans, and D. Drenckhahn

F813

PTH-sensitive K⁺- and voltage-dependent P_i transport by chick renal
brush-border membranes

L. E. Barber, V. Coric, N. B. Clark, and J. L. Renfro

F822

Basic amino acid transport in renal papilla: microinfusion of Henle's loops
and vasa recta

W. H. Dantzler and S. Silbernagl

F830

Cystine loading induces Fanconi's syndrome in rats: in vivo and vesicle studies

A. Ben-Nun, N. Bashan, R. Potashnik, R. Cohen-Luria, and A. Moran

F839

Interactions of cAMP-mediated vasodilators with angiotensin II in rat
kidney during hypertension

C. Chatziantoniou, X. Ruan, and W. J. Arendshorst

F845

Angiotensin receptor sites in renal vasculature of rats developing genetic hypertension

C. Chatziantoniou and W. J. Arendshorst

F853

Structural-functional correlation in chinchilla long loop of Henle thin limbs:
a novel papillary subsegment

C.-L. Chou, S. Nielsen, and M. A. Knepper

F863

H-K-ATPase in distal renal tubular acidosis: urinary tract obstruction,
lithium, and amiloride

S. Eiam-Ong, E. Dafnis, M. Spohn, N. A. Kurtzman, and S. Sabatini

F875

Segmental differences in angiotensin receptor subtypes in interlobular artery
of hydronephrotic rat kidneys

K. Hayashi, H. Suzuki, and T. Saruta

F881

Abnormal renal hemodynamic response to reduced renal perfusion pressure in diabetic rats: role of NO

J. P. Tolins, P. J. Shultz, L. Rajj, D. M. Brown, and S. M. Mauer

F886

RAPID COMMUNICATION

Expression and characterization of a new species of 11 β -hydroxysteroid dehydrogenase in *Xenopus* oocytes

A. Náray-Fejes-Tóth, E. Rusvai, D. L. Denault,

D. L. St. Germain, and G. Fejes-Tóth

F896

Subject Index to Volume 34

F901

Author Index to Volume 34

F909